



a quinophthalone compound represented by the formula (1);



wherein

R<sub>1</sub> represents a hydrogen atom or an unsubstituted or substituted alkyl group having 5 or less carbon atoms, R<sub>2</sub> represents a hydrogen atom and R<sub>3</sub> represents -CONR<sub>4</sub>R<sub>5</sub> in which each of R<sub>4</sub> and R<sub>5</sub> independently represents an unsubstituted or substituted alkyl group having 6 or more carbon atoms or an unsubstituted or substituted aryl group, and

a pyridone azo compound represented by the formula (2);



wherein


each of R<sub>7</sub> to R<sub>11</sub> independently, represents a hydrogen atom, a halogen atom, an unsubstituted or substituted alkyl group, an aralkyl group, an unsubstituted or substituted alkoxy group, an unsubstituted or substituted aryl group, an unsubstituted or substituted aryloxy group, a hydroxyl group, -NR<sub>14</sub>R<sub>15</sub> in which R<sub>14</sub> and R<sub>15</sub> independently, represents a hydrogen atom, an

unsubstituted or substituted alkyl group, or an aralkyl group,  $-\text{COX}_1$  in which  $\text{X}_1$  represents an unsubstituted or substituted alkoxy group, an unsubstituted or substituted aryloxy group, or  $-\text{NR}_{16}\text{R}_{17}$  in which each of  $\text{R}_{16}$  and  $\text{R}_{17}$  independently, represents a hydrogen atom, an unsubstituted or substituted alkyl group, an aralkyl group, or an unsubstituted or substituted aryl group,  $-\text{COO}(\text{CH}_2)_n-\text{COX}_2$ ,  $-\text{OCOX}_3$ , or  $-\text{NHCOX}_4$  in which each of  $\text{X}_2$  to  $\text{X}_4$  independently, represents an unsubstituted or substituted alkyl group, an aralkyl group, an unsubstituted or substituted aryl group, an unsubstituted or substituted alkoxy group, or an unsubstituted or substituted aryloxy group, and  $n$  is an integer of 1 to 3, provided that at least one of  $\text{R}_7$  to  $\text{R}_9$  is  $-\text{CONR}_{16}\text{R}_{17}$  having 17 or more carbon atoms,

$\text{R}_{12}$  represents a linear or branched alkyl group having 4 or more carbon atoms,

$\text{R}_{13}$  represents a linear or branched alkyl group having 8 or more carbon atoms.

2. (Amended) The aqueous ink for ink-jet recording according to claim 1 wherein the yellow hue coloring matter is a quinophthalone compound represented by the formula (1);




wherein

$\text{R}_1$  represents a hydrogen atom or an unsubstituted or substituted alkyl group having 5 or less carbon atoms,  $\text{R}_2$  represents a hydrogen atom and  $\text{R}_3$  represents  $-\text{CONR}_4\text{R}_5$  in which each

AR  
of R<sub>4</sub> and R<sub>5</sub> independently represents an unsubstituted or substituted alkyl group having 6 or more carbon atoms or an unsubstituted or substituted aryl group.

6. (Amended) The aqueous ink for ink-jet recording according to claim 1 wherein the yellow hue coloring matter is a pyridone azo compound represented by the formula (2);



wherein


each of R<sub>7</sub> to R<sub>11</sub> independently, represents a hydrogen atom, a halogen atom, an unsubstituted or substituted alkyl group, an aralkyl group, an unsubstituted or substituted alkoxy group, an unsubstituted or substituted aryl group, an unsubstituted or substituted aryloxy group, a hydroxyl group, -NR<sub>14</sub>R<sub>15</sub> in which each of R<sub>14</sub> and R<sub>15</sub> independently, represents a hydrogen atom, an unsubstituted or substituted alkyl group, or an aralkyl group, -COX<sub>1</sub> in which X<sub>1</sub> represents an unsubstituted or substituted alkoxy group, an unsubstituted or substituted aryloxy group, or -NR<sub>16</sub>R<sub>17</sub> in which each of R<sub>16</sub> and R<sub>17</sub> independently, represents a hydrogen atom, an unsubstituted or substituted alkyl group, an aralkyl group, or an unsubstituted or substituted aryl group, -COO(CH<sub>2</sub>)<sub>n</sub>-COX<sub>2</sub>, -OCOX<sub>3</sub>, or -NHCOX<sub>4</sub>, in which X<sub>2</sub> to X<sub>4</sub> represents an unsubstituted or substituted alkyl group, an aralkyl group, an unsubstituted or substituted aryl group, an unsubstituted or substituted alkoxy group, or an unsubstituted or substituted aryloxy group, and

A3  
n is an integer of 1 to 3, provided that at least one of R<sub>7</sub> to R<sub>9</sub> is -CONR<sub>16</sub>R<sub>17</sub> having 17 or more carbon atoms,

R<sub>12</sub> represents a linear or branched alkyl group having 4 or more carbon atoms,

R<sub>13</sub> represents a linear or branched alkyl group having 8 or more carbon atoms.

11. (Amended) A pyridone azo compound represented by the formula (2);



wherein

each of R<sub>7</sub> to R<sub>11</sub> independently, represents a hydrogen atom, a halogen atom, an unsubstituted or substituted alkyl group, an aralkyl group, an unsubstituted or substituted alkoxy group, an unsubstituted or substituted aryl group, an unsubstituted or substituted aryloxy group, a hydroxyl group, -NR<sub>14</sub>R<sub>15</sub> in which each of R<sub>14</sub> and R<sub>15</sub> independently, represents a hydrogen atom, an unsubstituted or substituted alkyl group, or an aralkyl group, -COX<sub>1</sub> in which X<sub>1</sub> represents an unsubstituted or substituted alkoxy group, an unsubstituted or substituted aryloxy group, or -NR<sub>16</sub>R<sub>17</sub> in which R<sub>16</sub> and R<sub>17</sub> independently, represents a hydrogen atom, an unsubstituted or substituted alkyl group, an aralkyl group, or an unsubstituted or substituted aryl group, -COO(CH<sub>2</sub>)<sub>n</sub>-COX<sub>2</sub>, -OCOX<sub>3</sub>, or -NHCOX<sub>4</sub> in which X<sub>2</sub> to X<sub>4</sub> represents an unsubstituted or substituted alkyl group, an aralkyl group, an unsubstituted or substituted aryl group, an


AL  
unsubstituted or substituted alkoxy group, or an unsubstituted or substituted aryloxy group, and  
n is an integer of 1 to 3, provided that at least one of R<sub>7</sub> to R<sub>9</sub> is -CONR<sub>16</sub>R<sub>17</sub> having 17 or more  
carbon atoms,

R<sub>12</sub> represents a linear or branched alkyl group having 4 or more carbon atoms,

R<sub>13</sub> represents a linear or branched alkyl group having 8 or more carbon atoms.

14. (Amended) A resin fine particle colored by at least one yellow hue coloring matter  
selected from the group consisting of;


SUB  
C7  
AS  
a quinophthalone compound represented by the formula (1);



wherein

R<sub>1</sub> represents a hydrogen atom or an unsubstituted or substituted alkyl group having 5 or  
less carbon atoms, R<sub>2</sub> represents a hydrogen atom and R<sub>3</sub> represents -CONR<sub>4</sub>R<sub>5</sub> in which each  
of R<sub>4</sub> and R<sub>5</sub> independently represents an unsubstituted or substituted alkyl group having 6 or  
more carbon atoms or an unsubstituted or substituted aryl group, and

a pyridone azo compound represented by the formula (2);



wherein

SUP  
C17

each of  $R_7$  to  $R_{11}$  independently, represents a hydrogen atom, a halogen atom, an unsubstituted or substituted alkyl group, an aralkyl group, an unsubstituted or substituted alkoxy group, an unsubstituted or substituted aryl group, an unsubstituted or substituted aryloxy group, a hydroxyl group,  $-NR_{14}R_{15}$  in which each of  $R_{14}$  and  $R_{15}$  independently, represents a hydrogen atom, an unsubstituted or substituted alkyl group, or an aralkyl group,  $-COX_1$  in which  $X_1$  represents an unsubstituted or substituted alkoxy group, an unsubstituted or substituted aryloxy group, or  $-NR_{16}R_{17}$  in which each of  $R_{16}$  and  $R_{17}$  independently, represents a hydrogen atom, an unsubstituted or substituted alkyl group, an aralkyl group, an unsubstituted or substituted aryl group,  $-COO(CH_2)_n-COX_2$ ,  $-OCOX_3$ , or  $-NHCOX_4$  in which  $X_2$  to  $X_4$  represents an unsubstituted or substituted alkyl group, an aralkyl group, an unsubstituted or substituted aryl group, an unsubstituted or substituted alkoxy group, or an unsubstituted or substituted aryloxy group, and  $n$  is an integer of 1 to 3, provided that at least one of  $R_7$  to  $R_9$  is  $-CONR_{16}R_{17}$  having 17 or more carbon atoms,

$R_{12}$  represents a linear or branched alkyl group having 4 or more carbon atoms,

$R_{13}$  represents a linear or branched alkyl group having 8 or more carbon atoms.